


PRIME HP

Penetration Primer



Description

High penetration ability and alkali resistant exterior primer.

Application Areas

- Stucco
- Concrete Masonry

Feature and Benefits

Owing to high alkali resistance performance, can be applied on concrete and stucco surface by confidently. Applied as a primer on high porosity and absorptivity exterior walls of buildings that the purpose of increasing adherence and water-repellent feature and reducing consumption of final layer paint and coating.

Technical Information

Content	Acrylic emulsion
Color	Clear
Appearance	Liquid
Particle Size	Class S1
Solid Content	10±1 %
Thinning	Ready to use
Consumption	0,080 – 0,120 L / m ²
Recommended Coat	1 coat
Application Tools	Roller / Brush
Drying Time	2 hours to touch 6 hours to topcoat

Application

PRIME HP Penetration Primer is ready to use. **PRIME HP** should be applied as one layer with lambskin roller or brush. Paint or coating application should be started at least 6 hours later, after the application of primer.

PRIME HP

Penetration Primer

Packaging

20 L / 5 L plastic drum

Shelf Life

12 months in original, unopened package

Storage

Store in dry area between +5°C and +35°C. Protect from heat, freezing and direct sunlight.

Cleanup Information

Clean tools and equipment with water immediately after use. Dried material can only be removed mechanically.

Cautions / Limitations

- Do not apply in freezing conditions or during precipitation.
- Protect applied materials from rain, freezing, foot traffic and continuous high humidity until completely dry.
- Do not use when air and surface temperatures are below 0°C and above +35°C.

Health and Safety

Warning! Cause eye and skin irritation. If eye contact, flush eyes with water for several minutes and remove contacts if present and easy to do. Get immediate medical attention. If skin contact; wash skin with plenty of soap and water. Get immediate medical attention. If swallowed, do not induce vomiting. Call a physician or poison control center. Never give anything by mouth to an unconscious person.

Wash hands thoroughly after handling. Wear protective clothing, gloves, eye and face protection. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. Dispose of unused, contents, container and other contaminated wastes in accordance with local, state, federal and provincial regulations.

PRIME HP

Penetration Primer

Keep container closed when not in use. Keep out of the reach of children.

Limited Warranty: This product is subject to a written limited warranty which can be obtained free of charge from BAUMERK Company. Please contact with technical service department for further information and support.